AMENDMENT TO THE CLAIMS

1. (Currently amended) A method of processing a digital image corresponding to a scanned document having corresponding image data comprising a plurality of pixel values and having an associated background, the method comprising:

analyzing the image [data] to obtain statistical data;

deriving [a] background noise removal <u>data</u> tonemap function for the entire image based on the statistical data;

storing the entire image and the background noise removal data, and tonemap function the stored data available for batch processing; and providing user selection to:

in a first case, use the stored image and the stored data to remove background noise from the image wherein pixel values are converted using the tonemap function_prior to rendering the image; and in a second case, to bypass background noise removal in the stored image prior to rendering.

- 2. (Currently amended) The method as described in Claim 1 further comprising preprocessing the image [data] while analyzing the image [data] and using intermediate results obtained from pre-processing the image [data] to obtain the statistical data.
- 3. (Currently amended) The method as described in Claim 1 wherein the background noise removal data includes a further comprising storing the tonemap function or sampled values of the tonemap function by generating a corresponding look-up table and storing the look-up table with the image data.
- 4. (Currently amended) The method as described in Claim 1 further comprising storing wherein the image [data] and the tonemap function background noise removal data are stored together according to a selected document format.



5. (Currently amended) The method as described in Claim 1 wherein analyzing the image [data] further comprises estimating a global background tone value.

- 6. (Currently amended) The method as described in Claim 5 wherein the tonemap function background noise removal data is derived from the global background tone value.
- 7. (Cancelled)
- 8. (Original) The method as described in Claim 1 further comprising providing a user interface including an option allowing the selection of background noise removal on a page-by-page basis.
- 9. (Currently amended) A method of <u>estimating tone background in processing</u> a digital image <u>corresponding to a scanned document having corresponding image data</u> comprising a plurality of pixel values and having an associated background, the method comprising:

generating edge-metrics for each pixel of the digital image;

generating a first luminance histogram of all pixels in the image;

using the edge-metrics to generate a second luminance histogram of pixels near edges; and

estimating background luminance from the first and second histograms.

analyzing image data to obtain statistical data;

storing the image data and the statistical data;

providing user selection to:

in a first case, remove background noise from the image wherein-pixel values are converted by deriving a background noise removal tonemap function from the stored statistical data; and

in a second case, to bypass background noise removal prior to rendering.



10. (Currently amended) The method as described in Claim 9 wherein the statistical data is a global background tone value derived from the image data for each pixel a first one of the edge-metrics is computed, the first edge-metric corresponding to the difference between the minimum and maximum values of neighboring pixels, and a pixel is tagged as an edge if its first edge-metric is above an adaptive threshold;

wherein for each pixel a second one of the edge-metrics is computed in proportional
to the difference between the mean of the neighborhood minimum and maximum
value, and one of the pixel value or smoothed pixel value, a pixel tagged as
belonging to a light side or dark side of an edge according to its second edgemetric; and

wherein the pixels tagged as belonging to a light sight of an edge are used to generate the edge-luminance histogram.

- 11. (Currently amended) The method as described in Claim 9 wherein <u>estimating the</u>
 <u>background luminance includes obtaining minimum error threshold values from the</u>
 <u>histograms and weighting the threshold values the statistical data is at least one</u>
 <u>histogram derived from the image data.</u>
- 12. (Currently amended) The method as described in Claim 9 wherein performing the background removal includes bleaching all pixel values having a luminance that is more than the estimated background luminance further comprising pre-processing image data while analyzing image data and using intermediate results obtained from pre-processing the image data to obtain statistical data.

13. (Cancelled)

14. (Currently amended) The method as described in Claim 1 9 further comprising providing a user interface including an option allowing the selection of background noise removal on a page by page basis wherein the image is color-converted to a luminance-chrominance color space prior to obtaining the statistical data, and wherein the statistical data is obtained from the luminance channel.



15. (Currently amended) A system for processing a digital image corresponding to a scanned document having corresponding image data comprising a plurality of pixel values and having an associated background, the system comprising:

statistical analyzer for analyzing the image data-to obtain statistical data; function derivator for deriving [a] background noise-removal data tonemap function-for the entire-image based on the statistical data; and

data storage for storing the image <u>and the background removal</u> data <u>together.</u> -and the tonemap function;

whereby user interface for selecting to, in a first case, remove background removal can be performed on the digital image before and after rendering. noise from the image, and in a second case, to bypass background noise removal prior to rendering;

background noise remover for removing noise from image data retrieved from storage dependent upon user selection.

- 16. (New) The method of claim 1 wherein the statistical data and the background noise removal data are obtained in real time, as the document is being scanned.
- 17. (New) The system as described in Claim 15 wherein the statistical analyzer preprocesses the image while analyzing the image and uses intermediate results obtained from pre-processing the image to obtain the statistical data.
- 18. (New) The system as described in Claim 15 wherein the background removal data includes a tonemap function or sampled values of the tonemap function.
- 19. (New) The system as described in Claim 15 further comprising a user interface for allowing viewing of a rendering of image data dependent on the user selection.



20. (New) The system as described in Claim 15 further comprising a user interface including an option allowing the selection of background noise removal on a page-by-page basis.

21. (New) Apparatus for estimating tone background in a digital image, the apparatus comprising:

means for generating edge-metrics for each pixel of the digital image;

means for generating a first luminance histogram of all pixels in the image;

means for using the edge-metrics to generate a second luminance histogram of pixels near edges; and

means for estimating background luminance from the first and second histograms.

a3 cril